

ATTESTATION OF CONFORMITY

Issued to: Shenzhen SOFAR SOLAR Co., Ltd.
401, Building 4, AnTongDa Industrial Park, District 68, XingDong Community, XinAn Street, BaoAn District, Shenzhen, China.

For the product: Grid-connected PV Inverter



Trade name:

Type/Model: SOFAR 10000TL-Sx Series, SOFAR 15000TL-Sx Series,
SOFAR 17000TL-Sx Series, SOFAR 20000TL-Sx Series

Ratings: See Annex

Manufactured by: Shenzhen SOFAR SOLAR Co., Ltd.
401, Building 4, AnTongDa Industrial Park, District 68, XingDong Community, XinAn Street, BaoAn District, Shenzhen, China.

Requirements: IEC 60255-27:2013

This Attestation is granted on account of an examination by DEKRA, the results of which are laid down in test report no. 6042101.51

The examination has been carried out on one single specimen of the product, submitted by the manufacturer.

The Attestation does not include an assessment of the manufacturer's production. Conformity of his production with the specimen tested by DEKRA is not the responsibility of DEKRA.

Shanghai, 22 April 2019

Number: 6042101.02AOC

DEKRA Testing and Certification (Shanghai) Ltd.

C. Lin
Certification Manager

A handwritten signature in black ink, appearing to be "C. Lin", written over a light blue grid background.

© Integral publication of this attestation and adjoining reports is allowed

Page 1 of 2

Ratings of the test product:

SOFAR 10000TL-Sx Series:

PV input: Max.1000 Vdc, MPPT voltage range: 250-960 Vdc, max 15/15 A, Isc PV: 20/20 A

Output: 400Vac, 3/N/PE, 50/60 Hz, max 10000 VA, max 3x15 A

SOFAR 15000TL-Sx Series:

PV input: Max.1000 Vdc, MPPT voltage range: 250-960 Vdc, max 21/21 A, Isc PV: 27/27 A

Output: 400Vac, 3/N/PE, 50/60 Hz, max 15000 VA, max 3x22 A

SOFAR 17000TL-Sx Series:

PV input: Max.1000 Vdc, MPPT voltage range: 250-960 Vdc, max 21/21 A, Isc PV: 27/27 A

Output: 400Vac, 3/N/PE, 50/60 Hz, max 17000 VA, max 3x25 A

SOFAR 20000TL-Sx Series:

PV input: Max.1000 Vdc, MPPT voltage range: 250-960 Vdc, max 24/24 A, Isc PV: 30/30 A

Output: 400Vac, 3/N/PE, 50/60 Hz, max 20000 VA, max 3x29 A